

# CHARLES PARSONS

Textiles

Est. 1915

## Non-Woven Fuse TP9640

**DESCRIPTION** Non-woven fusible interlining

**APPLICATION** For light weight jacket construction, waistband and facings.

**COLOURS** Charcoal and White

**WEIGHT** 45 GSM (Approx)

**WIDTH** 100cm

**ROLL LENGTH** 100m per roll.

**COMPOSITION** Polyester/ Viscose Base cloth

**COATING** Polyamide

**FUSING** Dial Temp: 140 degrees Celsius  
**CONDITIONS** Glueline Temp: 125 - 135 degrees Celsius  
Pressure: 2 - 3 Bar  
Time: 14 seconds

**CARE** Washable up to 40 degrees Celsius  
**INSTRUCTIONS**

The information contained in this performance specification sheet is subject to change without notice and remains the property of Charles Parsons and Co. It shall not be reproduced in whole or part, nor provided to any third parties without the written authorisation of Charles Parsons and Co. Charles Parsons and Co makes no warranty of any kind with regard to this technical specification, including but not limited to, the implied warranties of merchantability and fitness for a particular purpose. Charles Parsons and Co shall not be liable for incidental or consequential damages in connection with the supply, performance or use of this fabric. The previous conditions are only a guide.  
A preliminary trial is recommended before using the product in production